



380x600cm




4018211 321056
4018211 321063

380x750cm




4018211 321353
4018211 321360

380x900cm




4018211 321506
4018211 321513


with roof lathing
with roof planking



Ground plan



front view



Side view

scale 1:100

Single carport 380 x 600/750/900cm


Technical information / Construction Description

Type of wood / iron parts	Pine, impregnated / galvanized
Posts	8/10/12 each 11,5x11,5x220cm
Roofing	Roof lathing or planking
Roof inclination / -area	25° / 24,36/30,45/36,54m²
Snow load	sk = 2,00kN/m² (asphalt shingles) / sk = 1,60kN/m² (roofing tiles)
Width x length	380 x 600/750/900cm (roofed area)
Tot. height	225cm / 313cm / entrance 215cm
Area / building volume	22,80/28,50/34,20m² / 61,33/76,67/92,00m³
Package dimensions	W x L x H 118 x 320 x 68-120cm / 490-750kg
Including	Mounting hardware (including post anchors), Upper struts as illustrated, set-up instructions)

sauerland Gable roof carports




430x600cm




4018211 321551
4018211 321568

430x750cm




4018211 321803
4018211 321810

430x900cm




4018211 321902
4018211 321919


with roof lathing
with roof planking



Ground plan



front view



Side view

scale 1:100

Single carport 430 x 600/750/900cm

Technical information / Construction Description

Type of wood / iron parts	Pine, impregnated / galvanized
Posts	8/10/12 each 11,5x11,5x220cm
Roofing	Roof lathing or planking
Roof inclination / -area	25° / 27,60/34,50/41,40m ²
Snow load	sk = 2,00kN/m ² (asphalt shingles) / sk = 1,60kN/m ² (roofing tiles)
Width x length	430 x 600/750/900cm (roofed area)
Tot. height	225cm / 326cm / entrance 215cm
Area / building volume	25,80/32,25/38,70m ² / 71,08/88,85/106,62m ³
Package dimensions	W x L x H 118 x 370 x 60-100cm / 500-700kg
Including	Mounting hardware (including post anchors), Upper struts as illustrated, set-up instructions)

sauerland Gable roof carports




620x600cm




4018211 322558
4018211 322565

620x750cm




4018211 322800
4018211 322817

620x900cm




4018211 322886
4018211 322893


with roof lathing
with roof planking



Ground plan



Front view



Side view

scale 1:100

Double carport 620 x 600/750/900cm

Technical information / Construction Description

Type of wood / iron parts	Pine, impregnated / galvanized
Posts	8/10/12 each 11,5x11,5x220cm
Roofing	Roof lathing or planking
Roof inclination / -area	22° / 39,60/49,50/59,40m ²
Snow load	sk = 1,30kN/m ² (asphalt shingles) / sk = 0,90kN/m ² (roofing tiles)
Width x length	620 x 600/750/900cm (roofed area)
Tot. height	225cm / 354cm / entrance 215cm
Area / building volume	37,20/46,50/55,80m ² / 107,69/134,62/161,54m ³
Package dimensions	W x L x H 118 x 560 x 90-130cm / 800-1200kg
Including	Mounting hardware (including post anchors), Upper struts as illustrated, set-up instructions)